

WZB

Wissenschaftszentrum Berlin
für Sozialforschung



Christian Basteck
Lars Ehlers

On the constrained efficiency of strategy-proof random assignment

Discussion Paper

SP II 2023–202

May 2023

WZB Berlin Social Science Center

Research Area

Markets and Choice

Research Unit

Market Behavior

Wissenschaftszentrum Berlin für Sozialforschung gGmbH
Reichpietschufer 50
10785 Berlin
Germany
www.wzb.eu

Copyright remains with the author(s).

Discussion papers of the WZB serve to disseminate the research results of work in progress prior to publication to encourage the exchange of ideas and academic debate. Inclusion of a paper in the discussion paper series does not constitute publication and should not limit publication in any other venue. The discussion papers published by the WZB represent the views of the respective author(s) and not of the institute as a whole.

Christian Basteck, Lars Ehlers

On the constrained efficiency of strategy-proof random assignment

Affiliation of the authors:

Christian Basteck

WZB Berlin and Freie Universität

Lars Ehlers

Université de Montréal

Wissenschaftszentrum Berlin für Sozialforschung gGmbH
Reichpietschufer 50
10785 Berlin
Germany
www.wzb.eu

Abstract

On the constrained efficiency of strategy-proof random assignment

by Christian Basteck and Lars Ehlers*

We study the random assignment of indivisible objects among a set of agents with strict preferences. Random Serial Dictatorship is known to be only ex-post efficient and there exist mechanisms which Pareto-dominate it ex ante. However, we show that there is no mechanism that is likewise (i) strategy-proof and (ii) boundedly invariant, and that Pareto-dominates Random Serial Dictatorship. Moreover, the same holds for all mechanisms that are ex-post efficient, strategy-proof, and boundedly invariant: no such mechanism is dominated by any other mechanism that is likewise strategy-proof and boundedly invariant.

Keywords: random assignment, strategy-proofness, ex-post efficiency, bounded invariance

JEL classification: D63, D70

*E-mail: christian.basteck@wzb.eu, lars.ehlers@umontreal.ca. The first author gratefully acknowledges support by the Deutsche Forschungsgemeinschaft through CRC TRR 190 (project number 280092119) while the second author acknowledges financial support from the SSHRC (Canada) under Insight Grant 435-2023-0129.

On the constrained efficiency of strategy-proof random assignment*

Christian Basteck[†] Lars Ehlers[‡]

May 10, 2023

Abstract

We study random assignment of indivisible objects among a set of agents with strict preferences. Random Serial Dictatorship is known to be only ex-post efficient and there exist mechanisms which Pareto-dominate it ex ante. However, we show that there is no mechanism that is likewise (i) strategy-proof and (ii) boundedly invariant, and that Pareto-dominates Random Serial Dictatorship. Moreover, the same holds for all mechanisms that are ex-post efficient, strategy-proof and boundedly invariant: no such mechanism is dominated by any other mechanism that is likewise strategy-proof and boundedly invariant.

JEL Classification: D63, D70.

Keywords: random assignment, strategy-proofness, ex-post efficiency, bounded invariance.

*The first author gratefully acknowledges support by the Deutsche Forschungsgemeinschaft through CRC TRR 190 (project number 280092119) while the second author acknowledges financial support from the SSHRC (Canada) under Insight Grant 435-2023-0129.

[†]Freie Universität and WZB Berlin, Berlin, Germany. Email: christian.basteck@wzb.eu.

[‡]Département de Sciences Économiques and CIREQ, Université de Montréal, Montréal, QC H3C 3J7, Canada. Email: lars.ehlers@umontreal.ca.

1 Introduction

Consider the problem of assigning indivisible objects among a set of agents – each agent is to receive at most one and we assume they have strict preferences over the set of objects. Further, while objects’ characteristics may include a fixed monetary payment, there are no additional transfers. Problems like this arise in many real-life applications such as on-campus housing (where rents are fixed), organ allocation, school choice with ties in applicants’ priorities, etc. Whenever several agents would like to consume the same object, the indivisible nature of objects, together with the absence of any compensating transfers, will render any deterministic assignment unfair. For that reason, both theorists and policy makers have turned to random assignments in such contexts.

Since agents’ preferences are private information, the design of random assignment mechanisms has to take into account agents’ incentives to reveal their preferences. Moreover, eliciting preferences over all possible lotteries is often difficult in practice, so that assignments should instead be based on agents rankings of objects alone – for example, school choice programs will typically ask applicants to provide a list of schools, ranked from most- to least-preferred.

Strategy-proofness makes truthful reporting a dominant strategy and thus should ensure that agents truthfully reveal their ordinal preferences over objects for any underlying utility representation of preferences. Unfortunately, the literature on random assignment mechanisms contains numerous impossibility results as soon as strategy-proofness and equal-treatment-of-equals, as a minimal fairness requirement, are married with different ex-ante notions of efficiency.¹ We will consider throughout ex-post efficiency and constrained ex-ante efficiency in a class of mechanisms satisfying certain properties. Furthermore, for the applications given above, indivisible objects can be seen as goods where any agent desires, or needs to consume, exactly one object and finds all objects acceptable. We will refer to this as the no-disposal domain.

A mechanism frequently used in real life is the random serial dictatorship (RSD) mechanism. It works as follows. An order of the agents is drawn uniformly at random and then agents pick their most preferred objects among the remaining objects according to the selected order. RSD satisfies many desirable criteria: (0) equal treatment of equals as any two agents with the same preference obtain identical random assignments, (1) ex-post efficiency as it selects only assignments which cannot be Pareto improved, and (2) strategy-proofness as no agent profits from misreporting his true preference. Furthermore, it satisfies the con-

¹Throughout ‘ex-ante’ is to be understood as before realizing the final deterministic assignment; this corresponds to the term ‘interim’ used in mechanism design outside of the literature on random assignments.

dition of (3) bounded invariance saying that the chosen random assignment of any object x depends only on agents' preferences over objects that are weakly preferred to x – hence changing the reported ordering of less preferred objects should not affect the probability with which agents are assigned an object. According to our knowledge no real-life mechanism used in practice and virtually no mechanism considered in the theoretical literature violates bounded invariance. For example, Probabilistic Serial, Deferred- and Immediate Acceptance, as well as the Top-Trading-Cycles Mechanism all satisfy bounded invariance.

Our main result establishes that any mechanism satisfying properties (1)-(3) is not Pareto dominated (in terms of first-order stochastic dominance) by any strategy-proof and bounded invariant mechanism. As an immediate corollary we obtain that the RSD mechanism is not Pareto dominated by any mechanism satisfying strategy-proofness and bounded invariance. It is important to stress that our main result applies to any mechanism and is not exclusive to RSD. For instance, in applications one might take into account affirmative action constraints with respect to minorities or disadvantaged groups by not choosing certain orders of agents (where majorities or advantaged groups come first in the order) and apply a weighted version of RSD. Any such mechanism satisfies (1)-(3) and is not Pareto dominated by any strategy-proof and bounded invariant mechanism. This answers the longstanding question whether RSD is constrained efficient in the class of strategy-proof mechanisms (while admittedly we impose bounded invariance in addition), and provides a positive partial answer on the no-disposal domain to the long-standing open question by Zhou (1990) whether RSD is undominated in the class of mechanisms satisfying (0)-(2) – our result does not impose (0) but instead imposes (3). This is the first affirmative result for RSD in connection with ex-post efficiency and strategy-proofness.

We connect our main result to previous literature. Numerous contributions establish the impossibility of strategy-proofness, envy-freeness and ex-ante efficiency. Zhou (1990) showed that in the cardinal framework there exists no mechanism satisfying equal treatment of equals, strategy-proofness and ex-ante efficiency (where the latter postulates always to choose a random assignment which is not Pareto dominated in terms of expected utility by any other one). In the ordinal framework, Bogomolnaia and Moulin (2001) show the impossibility when envy-freeness is weakened to equal-treatment-of-equals. Nesterov (2017) shows that the impossibility persists when ex-ante efficiency is weakened to ex-post efficiency (while maintaining envy-freeness).² Shende and Purohit (2020) show that strategy-proofness and envy-freeness are incompatible with unanimity (which they refer to as contention-free efficiency). When strengthening equal-treatment-of-equals to envy-freeness, Basteck and

²Zhang (2019) proves a strong group-manipulability result, imposing ex-post efficiency and auxiliary fairness axioms that are by themselves weaker than envy-freeness.

Ehlers (2023) show that a strategy-proof mechanism can be unanimous and hence ex-post efficient with probability of at most $\frac{2}{n}$ (where n is the number of agents). In other words, for any strategy-proof and envy-free mechanism there exist profiles where ex-post efficient assignments are chosen with probability of at most $\frac{2}{n}$ (and inefficient assignments are chosen with probability of at least $1 - \frac{2}{n}$). This finding strengthens significantly the impossibility of strategy-proofness, envy-freeness and ex-post efficiency and provides an exact upper bound for ex-post unanimity.

Furthermore, one might allow agents to rank certain objects unacceptable, which we refer to the full domain. If agents may rank objects unacceptable and possibly receive no object, notions of efficiency have to take into account the set of (un)assigned objects: a deterministic assignment is non-wasteful if no agent prefers an unassigned object to her assignment. As a stronger requirement, ex-ante non-wastefulness demands that if an agent prefers an object over another and is assigned the less-preferred with positive probability, then the more-preferred object must be assigned with probability one. On the full domain there is no relation between ex-post efficiency and ex-ante non-wastefulness, and RSD might be ex-ante wasteful. Erdil (2014) established that there are mechanisms Pareto-dominating RSD which are less ex-ante wasteful, which is a negative answer on the full domain to the open question by Zhou (1990). In particular, the mechanism constructed in the proof of Proposition 3 by Erdil (2014) satisfies equal treatment of equals and strategy-proofness but violates bounded invariance. It is unknown which mechanisms Pareto dominate RSD and at the same time are not Pareto dominated by any other strategy-proof mechanism. Our main result implies that any strategy-proof and bounded invariant mechanism, which dominates RSD on the full domain, must coincide with RSD on the no-disposal domain. In other words, then Pareto improvements over RSD are only possible for profiles where objects are classified unacceptable in a “certain” way. For the full domain we show the following object-by-object domination lemma: if one mechanism sd-dominates another mechanism, then there is a profile where the first mechanism assigns each object to each agent with weakly greater probability than the second one, with strict inequality holding for some agent and some object. Furthermore, Martini (2016) shows that there is no mechanism satisfying strategy-proofness, equal-treatment-of-equals and ex-ante non-wastefulness, i.e. another principal impossibility result on the full domain.

Finally, for the no-disposal domain, Bogomolnaia and Moulin (2001) introduced the probabilistic serial (PS) mechanism and show that it is envy-free and ex-ante efficient (hence necessarily violates strategy-proofness). Bogomolnaia and Heo (2012) provide an axiomatic characterization of the PS mechanism via ex-ante efficiency, envy-freeness and bounded invariance. Hashimoto et al. (2014) weakened bounded invariance to weak invariance in this

characterization, a property which is satisfied by any strategy-proof mechanism.

The paper is organized as follows. Section 2 introduces random assignments, their properties and several popular mechanisms. Section 3 states our main result pertaining to the constrained efficiency of any mechanism satisfying ex-post efficiency, strategy-proofness and bounded invariance. Section 4 contains the proof of our main result. Section 5 allows agents to rank objects unacceptable and the waste of objects, and states the object-by-object domination lemma. Section 6 concludes.

2 Model

Let $N = \{1, \dots, n\}$ denote the set of agents and $O = \{o_1, \dots, o_n\}$ denote the finite set of objects. Throughout we suppose $|N| = |O| \geq 3$. Each agent i has strict preferences over $O \cup \{i\}$ where i stands for being unassigned; let R_i denote the corresponding linear order³ and write P_i for its asymmetric part (where xP_iy is defined by xR_iy and $x \neq y$). Let \mathcal{W}^i denote the set of all strict preferences of agent i over $O \cup \{i\}$. Let $\mathcal{W}^N = \times_{i \in N} \mathcal{W}^i$ denote the set of all preference profiles $R = (R_1, \dots, R_n)$. Let \mathcal{R}^i denote the set of all strict preferences of agent i over $O \cup \{i\}$ such that $oR_i i$ for all $o \in O$, i.e., where all objects are acceptable. We denote this domain by $\mathcal{R}^N = \times_{i \in N} \mathcal{R}^i$ and refer to it as the no-disposal domain, as no agent would ever dispose of any assigned object. We call \mathcal{W}^N the full domain.

An assignment is a mapping $\mu : N \rightarrow O \cup N$ such that⁴ $\mu_i \in O \cup \{i\}$ for all $i \in N$ and $\mu_i \neq \mu_j$ for all $i \neq j$. Let \mathcal{M} denote the set of all assignments.

An assignment μ is efficient under R if there exists no $\mu' \in \mathcal{M}$ such that $\mu'_i R_i \mu_i$ for all $i \in N$ and $\mu'_j P_j \mu_j$ for some $j \in N$. Let $\mathcal{PO}(R)$ denote the set of all efficient assignments under R . If R is a unanimous profile (where any two agents rank different objects first), then the unique efficient assignment allocates each agent his most preferred object.

An assignment μ is weakly efficient under R if there exists no $\mu' \in \mathcal{M}$ such that $\mu'_i P_i \mu_i$ for all $i \in N$. Let $\mathcal{WPO}(R)$ denote the set of all weakly efficient assignments under R .

An assignment μ is non-wasteful under R if for all $i \in N$ and all $x \in O \cup \{i\}$, $xR_i \mu_i$ implies there exists $j \in N$ with $\mu_j = x$. Note that this implies $\mu_i R_i i$. Let $\mathcal{NW}(R)$ denote the set of all non-wasteful assignments under R .

For any profile R , we have $\mathcal{PO}(R) \subseteq \mathcal{NW}(R)$, and there is no relation between non-wastefulness and weak efficiency.

Let $\Delta(\mathcal{M})$ denote the set of all probability distributions over \mathcal{M} . Given $p \in \Delta(\mathcal{M})$, let p_{ia} denote the associated probability of i being assigned a . Let $\text{supp}(p)$ denote the support

³Thus, R_i is (i) complete, (ii) transitive and (iii) antisymmetric (xR_iy and yR_ix implies $x = y$).

⁴We will use throughout the convention to write μ_i instead of $\mu(i)$ for any $i \in N$.

of p . Then (i) p is ex-post efficient under R if $\text{supp}(p) \subseteq \mathcal{PO}(R)$, (ii) p is ex-post weakly efficient under R if $\text{supp}(p) \subseteq \mathcal{WPO}(R)$, and (iii) p is ex-post non-wasteful under R if $\text{supp}(p) \subseteq \mathcal{NW}(R)$.

For all $i \in N$, all $R_i \in \mathcal{W}^i$ and all $x \in O \cup \{i\}$, let $B(x, R_i) = \{y \in O \cup \{i\} : yR_ix\}$. Then given any $p, q \in \Delta(\mathcal{M})$, p_i stochastically R_i -dominates q_i if for all $x \in O \cup \{i\}$,

$$\sum_{y \in B(x, R_i)} p_{iy} \geq \sum_{y \in B(x, R_i)} q_{iy}.$$

A random assignment p stochastically R -dominate another random assignment q if p_i R_i -dominates q_i for all $i \in N$. A random assignment is sd-efficient if there is no random assignment $q \neq p$ that stochastically R -dominates it.⁵ Given two random assignments p and q , we say that p and q are *equivalent* if $p_i = q_i$ for all $i \in N$.

A mechanism is a mapping $f : \mathcal{R}^N \rightarrow \Delta(\mathcal{M})$. Then $f(R)$ denotes the random assignment chosen for R , and $f_{ia}(R)$ denotes the probability of agent i being assigned object a . For $i \in N$, $f_i(R)$ denotes the tuple of assignment probabilities $(f_{ia}(R))_{a \in O}$, and for $a \in O$, $f_a(R)$ is defined accordingly as the tuple of probabilities with which a is assigned to the various agents. Then f is *sd-efficient* if for all $R \in \mathcal{R}^N$, $f(R)$ is sd-efficient under R . Similarly, we define ex-post (weak) efficiency and ex-post non-wastefulness for a mechanism.

Then f is *strategy-proof* if for all $R \in \mathcal{R}^N$, all $i \in N$ and all $R'_i \in \mathcal{R}^i$, $f_i(R)$ stochastically R_i -dominates $f_i(R'_i, R_{-i})$. Note that for any ordinal mechanism (where an agent only submits his ordinal ranking), strategy-proofness is equivalent to the requirement that for any von Neumann-Morgenstern utility presentation of his true ordinal ranking, submitting the true ordinal ranking maximizes his expected utility. Most real-life mechanisms only elicit this ordinal information (instead of von Neumann-Morgenstern utilities).

Furthermore, f is *envy-free* if for all $R \in \mathcal{R}^N$ and all $i, j \in N$, $f_i(R)$ stochastically R_i -dominates $f_j(R)$ (where in $f_j(R)$ the outside option j is replaced by i). If $f(R)$ attaches probability one to assignment μ , then this is equivalent to $\mu_i R_i \mu_j$ for all $i, j \in N$. Finally, f is *symmetric* (respectively, treats equals equally) if for all $R \in \mathcal{R}^N$ and all $i, j \in N$, $R_i = R_j$ implies $f_{io}(R) = f_{jo}(R)$ for all $o \in O$.

Note that most properties are defined in terms of an agent's random assignment. For a given set of properties, we say that a mechanism f is *unique in terms of probability shares*, if for any other mechanism ϕ satisfying this set of properties, $f(R)$ and $\phi(R)$ are equivalent for any profile R .

⁵Bogomolnaia and Moulin (2001) refer to this as 'ordinal efficiency'. It implies Pareto-efficiency with respect to expected utilities for some von Neumann-Morgenstern-representations of agents' ordinal preferences over objects McLennan (2002).

Below we introduce some of the well-known mechanisms on the no-disposal domain.

The uniform assignment (UA) mechanism⁶ randomizes uniformly over all $|N|!$ deterministic non-wasteful assignments (irrespective of agents preferences). Hence for individual object assignment probabilities we have: for all $R \in \mathcal{R}^N$, $UA_{io}(R) = \frac{1}{n}$ for all $i \in N$ and $o \in O$.

A strict priority ranking over N is denoted by \succ . Let \mathcal{L} denote the set of all strict priority rankings. Given $\succ \in \mathcal{L}$, let f^\succ denote the (deterministic) serial dictatorship mechanism where agents are assigned their most-preferred among all available objects in order of their priority.⁷ Then the random serial dictatorship (RSD) mechanism is defined by $RSD(R) = \frac{1}{n!} \sum_{\succ \in \mathcal{L}} f^\succ(R)$ for all $R \in \mathcal{R}^N$.⁸

We omit the formal definition of the probabilistic serial (PS) mechanism⁹ and provide an intuitive formulation instead: each agent starts eating with uniform speed from his most-preferred object; once an object is exhausted, each agent eats with uniform speed from his most-preferred among the remaining objects, and so on until all objects are exhausted. The assignment probabilities of any agent in PS are simply the shares of objects the agent has eaten during this process.¹⁰

3 Main Result

Before we state our main result, we introduce two more definitions.

Given $i \in N$, $R_i \in \mathcal{R}^i$ and $x \in O$, let $R_i(x) = R_i|B(x, R_i)$ denote the restriction of R_i to the weak upper contour set of x . Now a mechanism f satisfies *bounded invariance (BI)* if for all $R \in \mathcal{R}^N$, all $i \in N$, all $R'_i \in \mathcal{R}^i$ and all $x \in O$, if $R'_i(x) = R_i(x)$, then $f_x(R) = f_x(R'_i, R_{-i})$.

In other words, if agent i 's preference above object x remains unchanged, then the random assignment of x remains unchanged.

Given two mechanisms f and g , f *sd-dominates* g (denoted by $f \succeq^{sd} g$) if for any profile R the random assignment $f(R)$ stochastically R -dominates the random assignment $g(R)$,

⁶Chambers (2004) characterizes UA via consistency.

⁷For any $R \in \underline{\mathcal{R}}^N$ and $i_1 \succ i_2 \succ \dots \succ i_n$, i_1 receives his most R_{i_1} -preferred object in O (denoted by $f_{i_1}^\succ(R)$), and for $l = 2, \dots, n$, i_l receives his most R_{i_l} -preferred object in $O \setminus \{f_{i_1}^\succ(R), \dots, f_{i_{l-1}}^\succ(R)\}$ (denoted by $f_{i_l}^\succ(R)$).

⁸Pycia and Troyan (2023a) construct a random mechanism distinct from RSD but where for any profile R the chosen random assignment is equivalent to $RSD(R)$.

⁹For that, we refer the reader to Bogomolnaia and Moulin (2001); Bogomolnaia (2015) offers an alternative definition of PS, and Katta and Sethuraman (2006) extend PS to the domain where indifferences are allowed.

¹⁰Note that the PS-mechanism pins down individuals' object assignment probabilities directly, rather than a random assignment per se, i.e., a convex combination of deterministic assignments. Nonetheless, corresponding random assignments exists as any bistochastic matrix $(p_{ia})_{i \in N, a \in O}$ can be decomposed as a convex combination of permutation matrices by the Birkhoff-von Neumann Theorem Birkhoff (1946).

and for some profile \bar{R} and $i \in N$ we have $f_i(\bar{R}) \neq g_i(\bar{R})$.

Theorem 1 *On the no-disposal domain, if mechanism g satisfies ex-post efficiency, bounded invariance and strategy-proofness, then there exists no bounded invariant and strategy-proof mechanism f which sd-dominates g .*

RSD satisfies ex-post efficiency, bounded invariance and strategy-proofness, and by Theorem 1 RSD cannot be sd-dominated by another mechanism satisfying bounded invariance and strategy-proofness. The same is true for weighted versions of RSD, i.e. where we attach different weights to different orders of agents and apply SD. Such weights could take into account minorities/majorities and (dis)advantaged groups. Furthermore, in Theorem 1 ex-post efficiency cannot be weakened to ex-post weak efficiency. For instance, the Random-Dictatorship-cum-Equal-Division¹¹ by Basteck and Ehlers (2023) satisfies ex-post weak efficiency, bounded invariance and strategy-proofness, but is sd-dominated by RSD.

Several questions remain. First, does Theorem 1 remain unchanged when we drop bounded invariance from the second mechanism, i.e. we keep bounded invariance just for the first mechanism? Second, do we obtain a characterization of RSD by adding symmetry to the mechanism g (i.e. RSD is the only symmetric, strategy-proofness and ex-post-eff mechanism which is undominated)? Third, is RSD characterized by ex-post efficiency, bounded invariance, strategy-proofness and symmetry? Obviously, an affirmative answer to the third question implies the affirmative answer to the second question, but not the reverse.

We provide an outline of the proof of Theorem 1. As a basic step we show that for any efficient deterministic assignment, any agent must rank his allocated object weakly above some non-top ranked object. Then for a fixed object, say z , we count for any profile and for any agent the number of non-top ranked objects below z , and lexicographically minimize with respect to those numbers. If g sd-dominates f , then the set of profiles where f and g differ is non-empty. Now in this set we choose a profile where object z is ranked as low as possible with respect to the minimization outlined above and show that the random assignment of z must coincide for f and g . Remaining in the set of profiles where f and g differ and z is ranked as low as possible, we take another object, say y , choose a profile where y is ranked as low as possible and show that the random assignment of y (and z) is identical for f and g . Iterating we eventually exhaust the set of objects and obtain that f and g coincide, which implies that the set of profiles where f and g differ was empty yielding the final contradiction.

¹¹We omit the formal definition and refer to Basteck and Ehlers (2023). Informally, the mechanism works as follows: any agent i is chosen with probability $\frac{1}{n}$, then agent i picks his most preferred object and the remaining objects are assigned uniformly among the other agents.

4 Proof

First, we show a basic consequence of efficiency. Given $R_i \in \mathcal{R}^i$, let $top(R_i)$ denote the top ranked object in O by R_i . For profile R , let $top(R) = \cup_{i \in N} \{top(R_i)\}$ denote the set of top ranked objects under R .

Lemma 1 *Let $R \in \mathcal{R}^N$ and $\mu \in \mathcal{PO}(R)$. Then for all $i \in N$ there exists $x \in O \setminus top(R)$ such that $\mu_i R_i x$.*

Proof. Suppose not, i.e. say for agent 1 we have $x P_1 \mu_1$ for all $x \in O \setminus top(R)$. Then $O \neq top(R)$ as otherwise R is a unanimous profile and the unique efficient assignment gives each agent his most preferred object. Thus, $O \setminus top(R) \neq \emptyset$ and $top(R_1) P_1 x P_1 \mu_1$ for all $x \in O \setminus top(R)$. Now $\mu_1 \in top(R)$, and say $top(R_2) = \mu_1$. By efficiency, $\mu_2 \notin O \setminus top(R)$ and $\mu_2 \in top(R)$, say $top(R_3) = \mu_2$, and so on. At some point we find a (improvement) cycle, a contradiction to efficiency of μ . \square

Suppose that mechanism g satisfies ex-post efficiency, bounded invariance and strategy-proofness, and there a bounded invariant and strategy-proof mechanism f such that $f \succeq^{sd} g$. By Lemma 1, if g is ex-post efficient, then for all $R \in \mathcal{R}^N$, all $i \in N$ and all $x \in top(R)$ such that $y P_i x$ for all $y \in O \setminus top(R)$, we have $g_{ix}(R) = 0$. Furthermore, by $f \succeq^{sd} g$ we then also have $f_{ix}(R) = 0$.

We introduce additional notation. If $f \succeq^{sd} g$, then let

$$\mathcal{R}^\neq = \{R \in \mathcal{R}^N : f_i(R) \neq g_i(R) \text{ for some } i \in N\}$$

denote the set of profiles where f and g differ. In the set \mathcal{R}^\neq we identify a minimal profile as follows for a given object.

Note that for any $R \in \mathcal{R}^\neq$ we have $O \setminus top(R) \neq \emptyset$ as otherwise $O = top(R)$, R is a unanimous profile, and by ex-post efficiency of g and $f \succeq^{sd} g$ both f and g attach probability one to the unique assignment where each agent received his top ranked object.

Let $\mathbb{N} = \{0, 1, \dots\}$ denote the set of natural numbers including zero. Let \mathbb{N}_{\geq}^n denote the set of all vectors $v \in \mathbb{N}^n$ such that $v_1 \geq v_2 \geq \dots \geq v_n$, i.e. the coordinates of v are arranged in non-increasing order. Let \succsim denote the lexicographical ordering on \mathbb{N}_{\geq}^n : for all $v, w \in \mathbb{N}_{\geq}^n$, $v \succsim w$ means either $v = w$ or there is $1 \leq t \leq n$, such that $v_i = w_i$ for every $1 \leq i < t$ and $v_t < w_t$. We write $v \prec w$ if $v \succsim w$ and $w \not\sucsim v$.

Given $z \in O$ and R , consider for each $i \in I$ the number of objects in $O \setminus top(R)$ ranked

below z . Furthermore, for any $z \in O$ and R_i , let

$$L(z, R_i) = \{y \in O : z P_i y\}$$

denote the strict lower contour set at z of R_i . Note that this set excludes z .

We are going to build a vector with all these numbers in non-increasing order from highest to lowest. Formally, let¹²

$$\theta(z, R) \in \mathbb{N}_{\geq}^n, \text{ where } \{\theta_i(z, R) : 1 \leq i \leq n\} = \{|L(z, R_i) \cap (O \setminus \text{top}(R))| : i \in N\} \text{ and} \\ \theta_1(z, R) \geq \theta_2(z, R) \geq \dots \geq \theta_n(z, R).$$

We say that z is ranked lower in R' than in R'' , if, starting with the highest number in each case, that number is lower for R' than for R'' (and vice versa). If the two are equal, move to the second highest number for each profile and iterate. Hence, we lexicographically minimize $\theta(z, R)$, but we start from the highest number (first trying to lower z further for those agents that already rank it rather high). Let

$$\mathcal{R}_z^{\neq} = \{R \in \mathcal{R}^{\neq} : \text{there exists no } \bar{R} \in \mathcal{R}^{\neq} \text{ such that } \theta(z, \bar{R}) \prec \theta(z, R)\}.$$

We show in two lemmas that for any profile in \mathcal{R}_z^{\neq} the random assignment of z is identical under f and g .

Lemma 2 *Let $z \in O$ and $R \in \mathcal{R}_z^{\neq}$. If there is some $j \in I$ such that $f_{jz}(R) > g_{jz}(R)$, then we partition I as follows: $I = I_1 \cup I_2$ where for all $i \in I_1$, z is ranked least relative to $O \setminus \text{top}(R)$, i.e., $L(z, R_i) \cap (O \setminus \text{top}(R)) = \emptyset$, while for all $i \in I_2$ (where $j \in I_2$), $L(z, R_j) \cap (O \setminus \text{top}(R)) \subseteq L(z, R_i) \cap (O \setminus \text{top}(R))$ (i.e., i 's lower contour set of z at R contains all objects in $O \setminus \text{top}(R)$ that are contained in j 's lower contour set).*

Proof. First note that for j , $L(z, R_j) \cap (O \setminus \text{top}(R)) \neq \emptyset$ (as j has more of z under f and hence needs to have less of some lower ranked object for f to dominate g – hence by Lemma 1, $L(z, R_j) \cap (O \setminus \text{top}(R))$ is non-empty). Now take any $a \in L(z, R_j) \cap (O \setminus \text{top}(R))$ and move it up to just below z . Since R was minimal, we cannot push it past z , so we have $f_{jz}(R) > g_{jz}(R)$ and $f_{ja}(R) < g_{ja}(R)$. Any agent $i \neq j$ who does not rank z least relative to $O \setminus \text{top}(R)$, i.e., for whom $L(z, R_j) \cap (O \setminus \text{top}(R)) \neq \emptyset$, must also rank a below z : otherwise, they could move z to the bottom of $O \setminus \text{top}(R)$ while, by BI, we still have $f_{ja}(R) < g_{ja}(R)$ – contradicting the minimality of R . Since $a \in L(z, R_j)$ was chosen arbitrarily, this proves the lemma. \square

¹²Here identical numbers appear multiple times, i.e. we could have $\{2, 2, 2, 1, 1, 0, \dots\}$.

Lemma 3 *Let $z \in O$ and $R^* \in \mathcal{R}_z^\neq$. Then $f_{iz}(R^*) = g_{iz}(R^*)$ for all $i \in I$.*

Proof. Suppose not. Then there exists $j \in I$ with $f_{jz}(R^*) > g_{jz}(R^*)$ and the strict lower contour set $L(z, R_j^*)$ must intersect with $O \setminus \text{top}(R^*)$ as otherwise we have $L(z, R_j^*) \subseteq \text{top}(R^*)$ and by Lemma 1 and $f \succeq^{sd} g$, $g_{jo}(R^*) = 0 = f_{jo}(R^*)$ for all $o \in L(z, R_j^*)$ (which is then a contradiction to $f \succeq^{sd} g$ and $f_{jz}(R^*) > g_{jz}(R^*)$).

Consider the partition $\{I_1, I_2\}$ as in Lemma 2 (where $j \in I_2$). Let $\text{top}(R_{I_1}^*)$ denote the set of top objects of agents in I_1 . If $\text{top}(R_{I_1}^*) \cap L(z, R_j^*) \neq \emptyset$, take any $i \in I_1$ such that $\text{top}(R_i^*) = x \in L(z, R_j^*)$. Then move x in R_j^* just below z . Denoting the obtained profile by R , we have $f_{jz}(R) > g_{jz}(R)$.

If $f_{jx}(R) < g_{jx}(R)$, let i push $\{z\} \cup (L(z, R_j^*) \cap (O \setminus \text{top}(R)))$ to the bottom of R_i in the same order as R_j . Same for all other i' in I_1 who rank x first. Then by BI, we still have $f_{jx}(R) < g_{jx}(R)$. Towards a contradiction, if $f_{jz}(R) \leq g_{jz}(R)$, then there is some higher ranked object y such that $f_{jy}(R) > g_{jy}(R)$. Moreover, $y P_h z$ for all h in I_1 that rank x first as well as for $h = j$ – hence, we can push z to the bottom for all R_h , arrive at a profile where f and g differ in the assignment probabilities of y yet z is ranked lower relative to objects $O \setminus \text{top}(R)$ than at our initial profile. Since this contradicts the minimality of our initial profile, we conclude that $f_{jz}(R) > g_{jz}(R)$.

If instead we have $f_{jx}(R) \geq g_{jx}(R)$, swap x and z in the ranking of j : if we now have $f_{jx}(R) > g_{jx}(R)$ then we can push down z down for j , below all other $O \setminus \text{top}(R)$ – by SP this preserves $f_{jx}(R) > g_{jx}(R)$ and by BI we may push down again z for any $i \in I_1$ with $\text{top}(R_i) = x$ (as $x P_i (O \setminus \text{top}(R)) \cap L(z, R_j)$), contradicting minimality of R^* . Therefore, we know that, after having swapped x and z , we must have $f_{jx}(R) \leq g_{jx}(R)$ and thus $f_{jz}(R) > g_{jz}(R)$.

Thus, independently of whether we are able to push x past z or not, we still have $f_{jz}(R) > g_{jz}(R)$. Note that if we are able to push x above z , then after the swap of x and z we have $f_{jx}(R) \leq g_{jx}(R)$ and the preferences of agents in I_1 are unchanged.

If there is any other x' that is a top object of some agent in I_1 and also in $L(z, R_j)$, we proceed as before and move x' in R_j just below z . By BI, we have $f_{jz}(R) > g_{jz}(R)$.

If $f_{jx'}(R) < g_{jx'}(R)$ do the same as we did above with x : let all $i \in I_1$ who rank x' first push $\{z\} \cup (L(z, R_j^*) \cap O \setminus \text{top}(R))$ to the bottom of R_i in the same order as R_j . Then by BI we still have $f_{jx'}(R) < g_{jx'}(R)$ and moreover $f_{jz}(R) > g_{jz}(R)$ as otherwise there would be a higher ranked object in the ranking of j as well as all other agents $i \in I_1$ for whom we have so far constructed new preferences – hence we could move z down in their ranking and arrive at a contradiction to the minimality of R^* .

If instead we have $f_{jx'}(R) \geq g_{jx'}(R)$, swap x' and z in the ranking of j : if we now have $f_{jx'}(R) > g_{jx'}(R)$ then we can push down z to the bottom for j as well as for all other $i \in I_1$

(i.e., those were we had already raised z in the previous steps as they must prefer x' to z) – by BI this preserves $f_{jx'}(R) > g_{jx'}(R)$, contradicting minimality of R^* . Hence, instead we know that, after having swapped x' and z , we must have $f_{jx'}(R) \leq g_{jx'}(R)$ and thus $f_{jz}(R) > g_{jz}(R)$.

Thus, independently of whether we are able to push x' past z or not, we still have $f_{jz}(R) > g_{jz}(R)$.

Repeat the last step until there are no more objects in $top(R_{I_1}^*) \cap L(z, R_j^*)$ that we have not considered. Then we have arrived at a profile, refer to it once more as R , where $top(R_i) = top(R_i^*)$ for all $i \in I$, $f_{jz}(R) > g_{jz}(R)$ and I_1 has been partitioned into two subsets: I_1' includes all agents $i \in I_1$ for whom $L(z, R_i) \cap (O \setminus top(R^*)) = \emptyset$, $R_i = R_i^*$, and whose top ranked objects are ranked above z by j – in R^* but also in R since j 's lower contour set has only gotten smaller. Second, I_1'' includes all agents $i \in I_1$ whose lower contour set $L(z, R_i)$ consists of all objects $(O \setminus top(R^*)) \cap L(z, R_j^*)$, ranked in the same order as by R_j^* and R_j (j 's ranking over these objects was not altered moving from R^* to R). Compared to R^* , j 's lower contour set at z has gotten smaller, while the ranking of other agents $k \in I_2$ is unchanged.

By Lemma 2 as well as the preceding construction, we still have

$$L(z, R_i) \cap (O \setminus top(R)) \subseteq L(z, R_j) \cap (O \setminus top(R)) \subseteq L(z, R_k) \cap (O \setminus top(R))$$

for all $i \in I_1''$ and all $k \in I_2$. Now, for all $k \in I_2$ (including j) change the order of objects in the lower contour set $L(z, R_k)$ as follows: (i) objects that are in $L(z, R_k) \setminus L(z, R_j)$ are ranked immediately below z (beyond that, their order does not matter), (ii) objects that are also in $(O \setminus top(R)) \cap L(z, R_j)$ are ranked next, in the same order as by R_j , (iii) last, all objects in $L(z, R_k) \cap L(z, R_j) \cap top(R)$ are ranked below (beyond that, their order does not matter). By BI, we still have $f_{jz}(R) > g_{jz}(R)$. By Lemma 1 and $f \succeq^{sd} g$, we have $f_{kx}(R) = 0 = g_{kx}(R)$ for all $k \in I_2$ and all $x \in L(z, R_k) \cap L(z, R_j) \cap top(R)$.

Hence, we now have all agents in $I_1'' \cup I_2$ ranking objects $L(z, R_j) \cap (O \setminus top(R))$ adjacent and in the same order as R_j , and below that only objects in $top(R)$. Since $f_{jz}(R) > g_{jz}(R)$, there is some y , ranked below z by R_j , such that $f_{jy}(R) < g_{jy}(R)$ – and thus some $i \in I$ with $f_{iy}(R) > g_{iy}(R)$. Moreover by Lemma 1 we have $y \in L(z, R_j) \cap (O \setminus top(R))$.

If $i \in I_1'' \cup I_2$ then there is y' with yR_iy' , such that $f_{iy'}(R) < g_{iy'}(R)$ – and thus some $i' \in I$ with $f_{i'y'}(R) > g_{i'y'}(R)$. Moreover, by Lemma 1 and $y \in O \setminus top(R)$, we have $y' \in L(y, R_j) \cap (O \setminus top(R))$. Hence, y' is ranked lower than y according to R_j .

If $i' \in I_1'' \cup I_2$ then there is y'' with $y'R_{i'}y''$, such that $f_{i'y''}(R) < g_{i'y''}(R)$ – and thus some $i'' \in I$ with $f_{i''y''}(R) > g_{i''y''}(R)$, and so on.

Since $L(z, R_j) \cap (O \setminus top(R))$ is finite and we move down (according to R_j) in each iteration,

eventually we have exhausted the set. Hence, eventually, there is some $y^* \in L(z, R_j) \cap (O \setminus \text{top}(R))$ and $i^* \in I_1'$ such that $f_{i^*y^*}(R) > g_{i^*y^*}(R)$.

Note that $R_{i^*} = R_{i^*}^*$. But then i^* can exchange the positions of y^* and $\text{top}(R_{i^*})$ in R_{i^*} , reduce the number of non-top objects ranked below z for j (as well as all $i \in I_1'$) and it weakly decreases for all in $I_2 \setminus \{j\}$. Hence, z was not minimal in initial R^* . \square

Now we continue in the same way: having established that f and g agree on the assignment probabilities of z for all profiles $R \in \mathcal{R}_z^\neq$, we then take $y \neq z$ and consider those profiles in \mathcal{R}_z^\neq where y is ranked as low as possible relative to $(O \setminus \{z\}) \setminus \text{top}(R)$. Repeating the same arguments in Lemma 3 where y plays the role of z we get again $f_y(R) = g_y(R)$ and $f_z(R) = g_z(R)$. Reiterating, we thereby prove the theorem.

Formally, let $O = \{z_1, \dots, z_n\}$ and define $Z_t = \{z_1, \dots, z_t\}$ as well as $O_{-t} = O \setminus Z_t$, for any $1 \leq t < n$. Moreover, let

$$\theta(z_{t+1}, R) \in \mathbb{N}_{\geq}^n \quad \text{where} \quad \{\theta_i(z_{t+1}, R) : 1 \leq i \leq n\} = \{|L(z_{t+1}, R_i) \cap (O_{-t} \setminus \text{top}(R))| : i \in N\}$$

be the vector of ranks that z_{t+1} occupies in agents' preferences (ordered in non-increasing fashion and allowing for multiple identical entries). We rewrite $\mathcal{R}_{z_1}^\neq$ as \mathcal{R}_1^\neq and define

$$\mathcal{R}_{t+1}^\neq = \{R \in \mathcal{R}_t^\neq : \text{there exists no } \bar{R} \in \mathcal{R}_t^\neq \text{ such that } \theta(z_{t+1}, \bar{R}) \prec \theta(z_{t+1}, R)\},$$

where $\theta(z_{t+1}, \bar{R})$ and $\theta(z_{t+1}, R)$ ordered by lexicographic minimization. Hence, $\mathcal{R}_{z_{t+1}}^\neq$ contains all profiles where z_{t+1} is ranked as low as possible, provided that (i) f and g still differ in the assignment probabilities of *some* object, and that (ii) all objects $z \in Z_t$ are likewise ranked as low as possible (with rank-minimization of z_m taking precedence over the rank-minimization of $z_{m'}$ for any $m < m' \leq t$).

As a first observation, we show that if we rank an object z_{t+1} as low as possible in \mathcal{R}_t^\neq , then z_{t+1} cannot be ranked at the top of any agent j 's ranking for whom f_j and g_j differ.

Lemma 4 *Let $0 \leq t < n$, $z_{t+1} \in O$ and $R \in \mathcal{R}_{t+1}^\neq$. If there is some $j \in I$ such that $f_{jz_{t+1}}(R) > g_{jz_{t+1}}(R)$, then we partition I as follows: $I = I_1 \cup I_2$ where for all $i \in I_1$, z_{t+1} is ranked least relative to $O_{-t} \setminus \text{top}(R)$, i.e., $L(z_{t+1}, R_j) \cap (O_{-t} \setminus \text{top}(R)) = \emptyset$, while for all $i \in I_2$ (where $j \in I_2$), $L(z_{t+1}, R_j) \cap (O_{-t} \setminus \text{top}(R)) \subseteq L(z_{t+1}, R_i) \cap (O_{-t} \setminus \text{top}(R))$ (i.e., i 's lower contour set of z_{t+1} at R contains all objects in $O_{-t} \setminus \text{top}(R)$ that are contained in j 's lower contour set).*

Lemma 5 *Let $0 \leq t < n$, $z_{t+1} \in O$ and $R \in \mathcal{R}_{t+1}^\neq$. Then $f_{iz_{t+1}}(R) = g_{iz_{t+1}}(R)$ for all $i \in I$.*

Proof of Lemma 4 and 5.

For $t = 0$, this is established by Lemma 2 and 3, which serve as the basis for the following induction. For the induction step, assume we have established both statements for all $0 \leq t < k \leq n$ (induction hypothesis). It remains to show that both hold for $t = k$.

Induction step for Lemma 4. First note that for j , $L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R)) \neq \emptyset$ (as j has more of z_{k+1} under f and hence needs to have less of some lower ranked object for f to dominate g – hence by Lemma 1, and our induction hypothesis, $L(z_k, R_j) \cap (O_{-k} \setminus \text{top}(R))$ is non-empty). Now take any $a \in L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R))$ and move it up to just below z_{k+1} . Since R was minimal, we cannot push it past z_{k+1} , so we have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ and $f_{ja}(R) < g_{ja}(R)$. Any agent $i \neq j$ who does not rank z_{k+1} least relative to $O_{-k} \setminus \text{top}(R)$ must also rank a below z_{k+1} : otherwise, they could move z_{k+1} to the bottom of all $O_{-k} \setminus \text{top}(R)$ while, by BI, we still have $f_{ja}(R) < g_{ja}(R)$ – contradicting the minimality of R . Since $a \in L(z_{k+1}, R_j)$ was chosen arbitrarily, this completes the induction step for lemma 4.

Induction step for Lemma 5. Suppose the statement is not true for $t = k$. Then there exists $R^* \in \mathcal{R}_{k+1}^\neq$ and $j \in I$ with $f_{jz_{k+1}}(R^*) > g_{jz_{k+1}}(R^*)$. Without loss of generality, we may assume that all objects in Z_k are ranked at the bottom of R_j^* such that $z'_m R_j^* z_m$ for $m < m' \leq k$: Otherwise we can begin by moving z_1 to the bottom of j 's preference list in single, pairwise swaps. Since these transformations keep the profile in $\mathcal{R}_k^\neq \subseteq \mathcal{R}_1^\neq$ we have $f_{jz_1}(R) = g_{jz_1}(R)$ both before and after the swap and hence, by SP, $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ (where R denotes an arbitrary profile in the sequence starting at R^*). Repeating this for each m with $1 < m \leq k$ establishes the claim.

For most of the subsequent modifications of preference profiles, up until the very end, we will leave all objects $Z_k \subseteq L(z_{k+1}, R_j^*)$ at the bottom of j 's preference in the order just described.

Second, note that the strict lower contour set $L(z_{k+1}, R_j^*)$ must intersect with $O_{-k} \setminus \text{top}(R^*)$: otherwise we could move to R by pushing all $o \in L(z_{k+1}, R_j^*) \cap Z_k$ up against z_{k+1} , leaving only objects $o \in L(z_{k+1}, R_j^*) \cap \text{top}(R^*)$ at the bottom of R_j , so that by induction hypothesis and Lemma 1 we have the same assignment probabilities $f_{jo}(R) = g_{jo}(R)$ for all $o \in L(z_{k+1}, R_j)$. Moreover, by SP, we still have $f_{jz_{k+1}}(R^*) > g_{jz_{k+1}}(R^*)$. Together that contradicts the standing assumption that f sd-dominates g .

Consider the partition $\{I_1, I_2\}$ as in Lemma 4 (where $j \in I_2$) – by the induction hypothesis and the induction step for Lemma 4 above, this exists for $t = k$. Let $\text{top}(R_{I_1}^*)$ denote the set of objects most-preferred by some agent in I_1 . If $\text{top}(R_{I_1}^*) \cap L(z_{k+1}, R_j^*) \cap O_{-k} \neq \emptyset$, take any $i \in I_1$ such that $\text{top}(R_i^*) = x \in L(z_{k+1}, R_j^*) \cap O_{-k}$. Then move x in R_j^* just below z_{k+1} .

Denoting the obtained profile by R , we have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ (by SP).

If $f_{jx}(R) < g_{jx}(R)$, then for all $i \in I_1$ who rank $x \in L(z_{k+1}, R_j^*) \cap O_{-k}$ at the top, we can let i push all objects in $(L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R))) \cup Z_k$ to the bottom in the same order as R_j : $\{z_{k+1}\} \cup (L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R)))$ is ranked first, then Z_k at the very bottom (with $z_{m'}$ ranked above z_m for any $m < m' \leq k$). Same for all other i' in I_1 who rank x first. Then by BI, we still have $f_{jx}(R) < g_{jx}(R)$. Towards a contradiction, if $f_{jz_{k+1}}(R) \leq g_{jz_{k+1}}(R)$ then there is some higher ranked object y such that $f_{jy}(R) > g_{jy}(R)$. Moreover, $yP_h z_{k+1}$ for all $h \in I_1 \cup \{j\}$ – hence, we can push z_{k+1} below $L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R))$ for all R_h , arrive at a profile where f and g differ in the assignment probabilities of y yet z_{k+1} is ranked lower relative to objects $O_{-k} \setminus \text{top}(R)$ than at our initial profile. Since this contradicts the minimality of our initial profile, we conclude that $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$. Moreover, since all objects in Z_k are ranked as low as possible for all i for whom we have constructed new preferences, we still have $R \in \mathcal{R}_k^\neq$ (though not necessarily $R \in \mathcal{R}_{k+1}^\neq$ since z_{k+1} is not ranked as low as possible).

If instead we have $f_{jx}(R) \geq g_{jx}(R)$, then swap x and z_{k+1} in the ranking of j : if we now have $f_{jx}(R) > g_{jx}(R)$ then we can push down z_{k+1} down for j , below all other $O_{-t} \setminus \text{top}(R)$ (but above Z_t) – by SP this preserves $f_{jx}(R) > g_{jx}(R)$, contradicting minimality of R^* . So instead we know that, after having swapped x and z_{k+1} , we must have $f_{jx}(R) \leq g_{jx}(R)$ and thus $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$. Again, since the swap does not raise any object in Z_k in the ranking of any agent, we have $R \in \mathcal{R}_k^\neq$. So independently of whether we are able to push x past z_{k+1} or not, we still have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ and $R \in \mathcal{R}_k^\neq$.

If there is any other $x' \in O_{-k}$ that is a top object of some agent in I_1 and also in $L(z_{k+1}, R_j)$, move x' in R_j just below z_{k+1} . By SP, we have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$.

If $f_{jx'}(R) < g_{jx'}(R)$, then do the same as we did above with x : let all $i \in I_1$, who rank x' first, push all objects in $(L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R))) \cup Z_k$ to the bottom in the same order as R_j – first $\{z_{k+1}\} \cup (L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R)))$, then Z_k . By BI, we still have $f_{jx'}(R) < g_{jx'}(R)$ and moreover we also have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ as otherwise there would be some y with $f_{jy}(R) > g_{jy}$ that is ranked above z_{k+1} by j and all $i \in I_1$ for whom we have so far constructed new preferences. Hence, by pushing z_{k+1} down further below $L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R))$ in the ranking of j and all $i \in I_1$ for whom we have so far constructed new preferences leads to a contradiction to minimality of R^* .

If instead we have $f_{jx'}(R) \geq g_{jx'}(R)$, swap x' and z_{k+1} in the ranking of j : if we now have $f_{jx'}(R) > g_{jx'}(R)$ then we can push down z_{k+1} to the bottom of all $O_{-k} \setminus \text{top}(R)$ (but above Z_k) for j as well as for all other $i \in I_1$ for whom we have so far constructed new preferences – by BI this preserves $f_{jx'}(R) > g_{jx'}(R)$, contradicting minimality of R^* . So instead we know that, after having swapped x' and z_{k+1} , we must have $f_{jx'}(R) \leq g_{jx'}(R)$

and thus $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$. So independently of whether we are able to push x' past z_{k+1} or not, we still have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$.

Note that neither of the two manipulations increases the rank of objects in Z_k . Hence, as a result, we have another profile R where $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ and $R \in \mathcal{R}_k^\neq$.

Repeat the last step until there are no more objects in $O_{-k} \cap \text{top}(R_{I_1}^*) \cap L(z_{k+1}, R_j^*)$ that we have not considered. Then we have arrived at a profile, refer to it once more as R , where $\text{top}(R_i) = \text{top}(R_i^*)$ for all $i \in I$, $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ and I_1 has been partitioned into two subsets: $I_1' \subseteq I_1$ includes all agents $i \in I_1$ that rank z_{k+1} least relative to $O_{-k} \setminus \text{top}(R^*)$ and for which $R_i = R_i^*$ and whose top ranked objects are either in Z_t or ranked above z_{k+1} by j – in R_j^* but also in R_j since j 's lower contour set has only gotten smaller. Second, I_1'' includes all agents $i \in I_1$ whose lower contour set $L(z_{k+1}, R_i)$ consists of all objects $(L(z_{k+1}, R_j^*) \cap (O_{-k} \setminus \text{top}(R))) \cup Z_k$, ranked in the same order as by R_j^* and R_j (j 's ranking over these objects was not altered moving from R^* to R). Compared to the initial profile R^* , j 's lower contour set at z_{k+1} may have gotten smaller, while the preference order of other agents in I_2 is unchanged.

By Lemma 4 as well as the preceding construction, we still have

$$L(z_{k+1}, R_i) \cap (O_{-k} \setminus \text{top}(R)) \subseteq L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R)) \subseteq L(z_{k+1}, R_h) \cap (O_{-k} \setminus \text{top}(R))$$

for all $i \in I_1''$ and all $h \in I_2$. Now, for all $h \in I_2$ (other than j) change the order of objects in the lower contour set $L(z_{k+1}, R_h)$ as follows: (i) objects that are in $L(z_{k+1}, R_h) \setminus L(z_{k+1}, R_j)$ are ranked immediately below z_{k+1} (beyond that, their order does not matter), (ii) objects that are in $L(z_{k+1}, R_h) \cap L(z_{k+1}, R_j)$ are ranked next, in the same order as by R_j (hence, with objects in $L(z_{k+1}, R_h) \cap L(z_{k+1}, R_j) \cap Z_k$ at the bottom). By BI, we still have $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$. Moreover, since objects in Z_k have only seen their rank lowered, we still have $R \in \mathcal{R}_k^\neq$.

In a final reshuffling, let all agents in $I_1'' \cup I_2$ push all objects in $L(z_{k+1}, R_j) \cap \text{top}(R)$ to the bottom. Again, we will call the new profile R . Since top ranked objects do not matter in the rank-minimization of objects Z_k , we still have $R \in \mathcal{R}_k^\neq$, as well as $f_{jz_{k+1}}(R) > g_{jz_{k+1}}(R)$ (by BI). Hence there is some y , ranked below z_{k+1} by R_j , such that $f_{jy}(R) < g_{jy}(R)$ – and thus some $i \in I$ with $f_{iy}(R) > g_{iy}(R)$. Moreover, by Lemma 1 and our induction hypothesis, we have $y \in L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R))$.

If $i \in I_1'' \cup I_2$ then there is y' with $yR_i y'$, such that $f_{iy'}(R) < g_{iy'}(R)$ – and thus some $i' \in I$ with $f_{i'y'}(R) > g_{i'y'}(R)$. Moreover, by Lemma 1 and our induction hypothesis, we have $y' \in L(y, R_j) \cap (O_{-k} \setminus \text{top}(R))$. Hence, y' is ranked lower than y according to R_j .

If $i' \in I_1'' \cup I_2$ then there is y'' with $y'R_{i'} y''$, such that $f_{i'y''}(R) < g_{i'y''}(R)$ – and thus some

$i'' \in I$ with $f_{i''y''}(R) > g_{i''y''}(R)$, and so on.

Since $L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R))$ is finite and we move down (according to R_j) in each iteration, eventually we have exhausted the set. So eventually, there is some $y^* \in L(z_{k+1}, R_j) \cap (O_{-k} \setminus \text{top}(R))$ and $i^* \in I_1'$ such that $f_{i^*y^*}(R) > g_{i^*y^*}(R)$.

If $\text{top}(R_{i^*}) \in O_{-k}$, let i^* exchange y^* with his top ranked object in R_{i^*} . since, as a result of our changes to the initial preference profile R^* , we know that $\text{top}(R_{i^*})$ is not included in j 's lower contour set of z_{k+1} , this reduces the number of non-top objects ranked below z_{k+1} for j (as well as all $i \in I_1''$) and it weakly decreases it for all in $I_2 \setminus \{j\}$. Hence z_{k+1} was not minimal in the initial R^* .

Finally, consider $\text{top}(R_{i^*}) = z_m \in Z_k$ (i.e., $m \leq k$). Since $f_{i^*y^*}(R) > g_{i^*y^*}(R)$ there must be some lower ranked \hat{y} such that $f_{i^*\hat{y}}(R) < g_{i^*\hat{y}}(R)$. But then, consider the strict upper contour set of \hat{y} , i.e. $U(\hat{y}, R_{i^*}) = \{o \in O : oP_i^*\hat{y}\}$. Push all elements in $U(\hat{y}, R_{i^*}) \cap Z_k$ to just above \hat{y} to arrive at R' . This preserves $f_{i^*\hat{y}}(R') < g_{i^*\hat{y}}(R')$ (by SP). Moreover, since we have pushed these objects below y^* and $y^* \in O_{-k} \setminus \text{top}(R)$, we have reduced their rank. But that contradicts $R \in \mathcal{R}_k^\neq$ – which concludes the proof. \square

5 Unacceptable Objects

So far, our results were confined to the no-disposal domain \mathcal{R}^N , where every agent finds all objects acceptable. For the full domain \mathcal{W}^N being unassigned is not necessarily ranked at the bottom of an agent's preference. As this represents the outside option, we want to avoid any agent to be assigned to an unacceptable object.

Given profile R , the random assignment p is individually rational if for all $i \in N$ and $x \in O$ such that $iP_i x$ we have $p_{ix} = 0$.¹³ Obviously, for the no-disposal domain any random assignment is individually rational.

Given two random assignments p and q , we say that p object-by-object dominates q if for all $i \in N$ and all $o \in O$ we have $p_{io} \geq q_{io}$ (with strict inequality holding for some $j \in N$ and some $x \in O$). Object-by-object domination makes no reference to a preference profile. Now given profile R and two individually rational random assignments p and q , if p object-by-object dominates q , then p stochastically R -dominates q and $p_i \neq q_i$ for some $i \in N$. Note that for this assertion we do not need to know the exact preferences over acceptable objects. On the full domain we show that if one strategy-proof mechanism sd-dominates another strategy-proof mechanism, then we can find a profile where object-by-object dominance holds.

¹³For individual rationality its ex-ante and ex-post notions are equivalent.

Lemma 6 (Object-by-object domination lemma) *Let f and g be two individually rational and strategy-proof mechanisms on the full domain. If f sd-dominates g , then there exists a profile \hat{R} where $f(\hat{R})$ object-by-object dominates $g(\hat{R})$.*

Proof. As $f \succeq^{sd} g$, there exists $R \in \mathcal{W}^N$, $i \in N$ and $x \in O$ such that $f_{ix}(R) > g_{ix}(R)$. Without loss of generality, let x be the R_i -most preferred object where $f_i(R)$ and $g_i(R)$ differ. Let R'_i be such that $\{o \in O : oP'_i i\} = B(x, R_i)$ and $R'_i|B(x, R_i) = R_i|B(x, R_i)$. Let $R' = (R'_i, R_{-i})$. By our choice of x and both strategy-proofness and individual rationality of f and g , we obtain $f_{ix}(R') = f_{ix}(R) > g_{ix}(R) = g_{ix}(R')$ and $f_{io}(R') = g_{io}(R')$ for all $o \in O \setminus \{x\}$. If $f(R')$ object-by-object dominates $g(R')$, then we are done. Otherwise there exist $j \in N \setminus \{i\}$ and $y \in O$ such that $f_{jy}(R') < g_{jy}(R')$. By individual rationality, $yP_j j$. As $f_j(R')$ sd-dominates $g_j(R')$, there exists $z \in O$ such that $zP_j y$ and $f_{jz}(R') > g_{jz}(R')$. But then we repeat the same procedure for j as above and obtain the same conclusions for R' , j and z . As at each iteration the set of acceptable objects of some agent shrinks and the set of objects is finite, eventually we find \hat{R} such that $f(\hat{R})$ object-by-object dominates $g(\hat{R})$. \square

The power of the object-by-object domination lemma is that for sd-dominance among strategy-proof mechanisms on the full domain, we can always find a profile where one mechanism unambiguously dominates the other mechanism, i.e., knowing only which objects are considered acceptable to agents. Lemma 6 does not hold for the no-disposal domain as, for example, UA is strategy-proof and sd-dominated by RSD, but there exists no $R \in \mathcal{R}^N$ such that $RSD(R)$ object-by-object dominates $UA(R)$.

Erdil (2014) was the first one to take into account possible ex-ante waste of objects on the full domain. Given profile R and random assignment p , p is ex-ante non-wasteful if there exists no $i \in N$ and $x, y \in O \cup \{i\}$ such that $xP_i y$, $p_{iy} > 0$ and $\sum_{j \in N} p_{jx} < 1$. In other words, if agent i prefers x to y and is assigned with positive probability to y , then object x is assigned with probability one. Obviously, on the no-disposal domain ex-post efficiency implies ex-ante non-wastefulness as all objects are assigned with probability one. A weaker version is ex-ante weak non-wastefulness of a random assignment p where there exists no $i \in N$ and $x \in O$ such that $xP_i i$, $p_{ii} > 0$ and $\sum_{j \in N} p_{jx} < 1$. In other words, if agent i remains unassigned with positive probability, then all objects, which i finds acceptable, are assigned with probability one.

The size of any random assignment p is the total amount of objects allocated by p , i.e. $|p| = \sum_{o \in O} \sum_{i \in N} p_{io}$. Now given two mechanisms f and g , f is of greater size than g if $|f(R)| \geq |g(R)|$ for all $R \in \mathcal{W}^N$ and $|f(\hat{R})| > |g(\hat{R})|$ for some \hat{R} .

Erdil (2014, Proposition 1) showed that no strategy-proof and ex-ante non-wasteful is

sd-dominated by another strategy-proof mechanism.¹⁴ Of course, this is not true for the no-disposal domain as UA is ex-ante non-wasteful and strategy-proof, but sd-dominated by RSD. By the same reasoning, Erdil (2014, Proposition 2) does not hold on the no-disposal domain as he showed that if strategy-proof mechanism f sd-dominates another strategy-proof mechanism g , then f must be of greater size than g .

The object-by-object domination lemma allows for alternative proofs of the important Propositions 1 and 2 in Erdil (2014) (where in (1) below ex-ante weak non-wastefulness suffices).

Corollary 1 *Let f and g be two individually rational and strategy-proof mechanisms on the full domain.*

(1) *If g is ex-ante weakly non-wasteful, then f cannot sd-dominate g .*

(2) *If f sd-dominates g , then f is of greater size than g .*

Proof. In showing (1), suppose $f \succeq^{sd} g$. By Lemma 6 there exists \hat{R} such that $f(\hat{R})$ object-by-object dominates $g(\hat{R})$. Then for some $i \in N$ and $x \in O$ we have $f_{ix}(\hat{R}) > g_{ix}(\hat{R})$. Since $f_{jx}(\hat{R}) \geq g_{jx}(\hat{R})$ for all $j \in N$, we obtain $1 \geq \sum_{j \in N} f_{jx}(\hat{R}) > \sum_{j \in N} g_{jx}(\hat{R})$, i.e. object x is not assigned with probability one under $g(\hat{R})$. Since $f_{io}(\hat{R}) \geq g_{io}(\hat{R})$ for all $o \in O$, we obtain $f_{ii}(\hat{R}) < g_{ii}(\hat{R})$. As $x \hat{P}_i i$ and $\sum_{j \in N} g_{jx}(\hat{R}) < 1$, this implies that $g(\hat{R})$ is ex-ante weakly wasteful, a contradiction.

In showing (2), from $f \succeq^{sd} g$ and Lemma 6 there exists \hat{R} such that $f(\hat{R})$ object-by-object dominates $g(\hat{R})$ which implies $|f(\hat{R})| > |g(\hat{R})|$. As for any $R \in \mathcal{W}^N$, $f(R)$ sd-dominates $g(R)$ and both $f(R)$ and $g(R)$ are individually rational, we obtain $|f(R)| \geq |g(R)|$. Hence, f is of greater size than g . \square

Most importantly, Erdil (2014, Proposition 3) showed that RSD is sd-dominated by a strategy-proof mechanism with less ex-ante waste. Unfortunately, Erdil's mechanism cannot be adapted to satisfy bounded invariance (while continuing to sd-dominate RSD) in a straightforward manner.¹⁵ Erdil (2014, Proposition 4) showed that any strategy-proof

¹⁴Clearly any deterministic mechanism, which is non-wasteful and strategy-proof (e.g. serial dictatorship mechanisms), is not sd-dominated by another strategy-proof mechanism.

¹⁵Without going into details and using the same notation, consider the construction on p.158-159 or Erdil (2014) (where all agents other than agent 1 always receive the same random assignment under g and RSD): let $R_1 : ba$; then $R_1 \in \mathcal{R}_1^b$ and $g(R)$ gives ϵ -more for a to 1 (compared to RSD); now let $Q_2 : cab$ and by BI, $g(Q_2, R_{-2})$ would have to continue to give ϵ -more of a to 1 (compared to RSD) and give the same of b to 1 under g and RSD; and then for $Q_1 : ab$ we obtain by SP that $g(Q_1, Q_2, R_3, R_4)$ has to give more to a and b to 1 than under RSD, but this is a contradiction to $g \succeq^{sd} RSD$ and $|RSD(Q_1, Q_2, R_3, R_4)| = 1$.

mechanism, which sd-dominates RSD, must be ex-ante wasteful. The problems of (i) determining the minimal waste in the class of strategy-proof mechanisms which sd-dominate RSD and (ii) whether there exists a strategy-proof and bounded invariant mechanism, which sd-dominates RSD on the full domain remain open. Lemma 6 might offer a tool for resolving those questions.

6 Conclusion

Instead of reporting ordinal preferences, one might ask agents to report cardinal utility functions. Then agents compare random assignments via their expected utilities. We implicitly assume ordinality of mechanisms, i.e. the chosen random assignment is the same across cardinal utility profiles which induce identical ordinal preferences. For applications ordinality is a natural requirement as it facilitates reporting, given that agents might be unable to determine their exact utilities but are able to compare individual objects. Of course, allowing cardinal reports but imposing ordinality gives us the same result. In particular, in such contexts RSD is not dominated by any mechanism satisfying ordinality, strategy-proofness and bounded invariance. This is a positive answer on the no-disposal domain to the open question by Zhou (1990), and who showed that in the cardinal framework there exists no mechanism satisfying equal treatment of equals, strategy-proofness and ex-ante efficiency. The latter postulates always to choose a random assignment which is not Pareto dominated in terms of expected utility by any other one. It is clear that in the cardinal context the properties of ordinality, equal treatment of equals and ex-ante efficiency are incompatible: as a simple example, let $N = \{1, 2, 3\}$, $O = \{a, b, c\}$, $u_1 = (u_{1a}, u_{1b}, u_{1c}) = (1, 1 - \epsilon, 0) = u_2$ and $u_3 = (1, \epsilon, 0)$ where $\epsilon > 0$ is small; when all agents have utility function u_3 equal treatment of equals requires each agent to obtain a with probability one third, and similarly, when all agents have utility function u_1 equal treatment of equals requires each agent to obtain c with probability one third; now ordinality requires for the profile (u_1, u_2, u_3) that each agent obtains any object with probability $\frac{1}{3}$, which is dominated in terms of expected utility by assigning agent 3 object b with probability one, and assigning agents 1 and 2 objects a and c each with probability one half.

The last example shows the disrelation of Zhou's result and the impossibility results in the ordinal framework with respect to efficiency, equity and strategy-proofness. Ordinality, sd-efficiency and envy-freeness are compatible as PS satisfies all those properties. As soon as strategy-proofness is added, we obtain an incompatibility, which is robust when weakening sd-efficiency to ex-post efficiency, unanimity and respectively, to ex-ante non-wastefulness on the full domain, or envy-freeness to equal treatment of equals.

The question whether RSD is characterized by ex-post efficiency, equal treatment of equals and strategy-proofness remains open. A partial answer has been recently found by Brandt et al. (2023) for five agents via computational methods.¹⁶ However, an affirmative answer to this question remains elusive for an arbitrary number of agents. Pycia and Troyan (2023b) recently showed that RSD is characterized by symmetry, efficiency, and obvious strategyproofness among all mechanisms that, roughly speaking, can be represented as a symmetrization of an extensive-form game where in each stage, one agent is allowed to pick one house from a subset of the remaining houses or “pass” on this opportunity. For the assignment of one object and the full domain, Ehlers (2002) characterized the uniform random dictatorship mechanism with ex-post efficiency, envy-freeness and strategy-proofness. Another strand of the literature studies large markets. Here one may make markets large in two different ways: either by keeping the set of object types fixed and adding copies to match an increasing number of agents, or by considering economies with a large number of distinct agents and distinct objects. First, when we add object copies, Liu and Pycia (2016) have shown in their Theorem 2 that any two symmetric and “regular”¹⁷ mechanisms, which are asymptotically strategy-proof and asymptotically efficient, coincide asymptotically, i.e., they choose the same allocations in the limit. For instance, this implies asymptotic coincidence of RSD¹⁸ and PS (which was first shown by Che and Kojima (2010)), and that RSD and, respectively, PS satisfy ex-post efficiency and asymptotically both strategy-proofness and envy-freeness.¹⁹ In some sense, then it does not matter in the large whether we choose RSD or PS (or any other mechanism satisfying the above three properties). However, continued discussions in real-life markets show the importance of the choice of the random assignment mechanism to be implemented. As we have shown, RSD cannot be improved in an unambiguous way while maintaining our two basic properties.

References

Christian Basteck and Lars Ehlers. Strategy-proof and envyfree random assignment. *Journal of Economic Theory*, 209:105618, 2023.

¹⁶While this is an interesting approach, it crucially hinges on the computational power of computers which will most likely not resolve the question for an arbitrary number of agents and objects.

¹⁷Loosely speaking, this means that agents cannot change to “too much” the random assignments of other agents (in terms of probability shares) as the market becomes large.

¹⁸RSD is regular, provided the number of copies for each object type grows at the same rate as the number of agents, e.g., in replica economies.

¹⁹When we consider economies with a large number of distinct agents and distinct objects, Manea (2009) has shown that RSD is sd-efficient with probability zero, and hence RSD and PS diverge with probability one.

- Garrett Birkhoff. Three observations on linear algebra. *Univ. Nac. Tacuman, Rev. Ser. A*, 5:147–151, 1946.
- Anna Bogomolnaia. Random assignment: redefining the serial rule. *Journal of Economic Theory*, 158:308–318, 2015.
- Anna Bogomolnaia and Eun Jeong Heo. Probabilistic assignment of objects: Characterizing the serial rule. *Journal of Economic Theory*, 147:2072–2082, 2012.
- Anna Bogomolnaia and Hervé Moulin. A new solution to the random assignment problem. *Journal of Economic Theory*, 100:295–328, 2001.
- Felix Brandt, Matthias Greger, and René Romen. Characterizing random serial dictatorship. *Working Paper March 21*, 2023.
- Christopher P Chambers. Consistency in the probabilistic assignment model. *Journal of Mathematical Economics*, 40:953–962, 2004.
- Yeon-Koo Che and Fuhito Kojima. Asymptotic equivalence of probabilistic serial and random priority mechanisms. *Econometrica*, 78(5):1625–1672, 2010.
- Lars Ehlers. Probabilistic allocation rules and single-dipped preferences. *Social Choice and Welfare*, 19:325–348, 2002.
- Tadashi Hashimoto, Daisuke Hirata, Onur Kesten, Morimitsu Kurino, and M. Utku Ünver. Two axiomatic approaches to the probabilistic serial mechanism. *Theoretical Economics*, 9:253–277, 2014.
- Akshay-Kumar Katta and Jay Sethuraman. A solution to the random assignment problem on the full preference domain. *Journal of Economic Theory*, 131:231–250, 2006.
- Qingmin Liu and Marek Pycia. Ordinal efficiency, fairness, and incentives in large markets. *mimeo*, 2016.
- Mihai Manea. Asymptotic ordinal inefficiency of random serial dictatorship. *Theoretical Economics*, 4:165–197, 2009.
- Giorgio Martini. Strategy-proof and fair assignment is wasteful. *Games and Economic Behavior*, 98:172–179, 2016.
- Andrew McLennan. Ordinal efficiency and the polyhedral separating hyperplane theorem. *Journal of Economic Theory*, 105:435–449, 2002.

- Alexander S Nesterov. Fairness and efficiency in strategy-proof object allocation mechanisms. *Journal of Economic Theory*, 170:145–168, 2017.
- Marek Pycia and Peter Troyan. Strategy-proof, efficient, and fair allocation: Beyond random priority. *Working Paper*, 2023a.
- Marek Pycia and Peter Troyan. A theory of simplicity in games and mechanism design. *Econometrica*, page forthcoming, 2023b.
- Priyanka Shende and Manish Purohit. Strategy-proof and envy-free mechanisms for house allocation. *arXiv preprint arXiv:2010.16384*, 2020.
- Jun Zhang. Efficient and fair assignment mechanisms are strongly group manipulable. *Journal of Economic Theory*, 180:167–177, 2019.
- Lin Zhou. On a conjecture by gale about one-sided matching problems. *Journal of Economic Theory*, 52:123–135, 1990.

Discussion Papers of the Research Area Markets and Choice 2023

Research Unit: **Market Behavior**

Levent Neyse, Frank M. Fossen, Magnus Johannesson, Anna Dreber SP II 2023-201
Cognitive reflection and 2D:4D: Evidence from a large population sample

Christian Basteck, Lars Ehlers SP II 2023-202
On the constrained efficiency of strategy-proof random assignment

Research Unit: **Economics of Change**

Kai Barron, Tilman Fries SP II 2023-301
Narrative Persuasion